



WIŚNIEWSKI

BROUGHT TO YOU BY



JDUK
Garage Door Systems

DoorPro Side Hinged
Brochure



July 2022



GENERAL OVERVIEW	3-5
DOORPRO SIDE HINGED DOORS	6-7
DOOR OPTIONS DESIGNS - TEXTURES	8-9
WINDOW & DECOR OPTIONS	10-11
COLOUR OPTIONS	12-15
FOILED FINISHES	16-19
HOME INCLUSIVE OPTIONS	20-21
TECHNICAL INFORMATION	23-24



Welcome to the **Wisniowski** insulated side hinged **DoorPro** range, brought to you by **JDUK Garage Door Systems**



DoorPro Insulated Side Hinged - Single or Double Leaf.

Insulated side hinged doors offer the possibility to adapt perfectly to the rest of your home. Thanks to the use of panel designs L ribbed, M ribbed and Georgian ribs, They can also be perfectly adapted to a sectional garage door. A wide range of colors and laminates, as well as decorative applications and glazing, offer endless possibilities. Single leaf pass doors are the ideal solution in residential construction, as a side entrance or as a door to the garage.



Thanks to advanced technologies, proven materials and our own innovative technical thinking, we give our customers the certainty of a good choice. We have an integrated Management System, certified on the basis of the quality standard ISO 9001: 2008 and Occupational Health and Safety OHSAS 18001:2007. This is striving for continuous improvement of processes and products. Our experience is a guarantee of stability and responsibility for the product throughout its entire life cycle. It is also a promise of the highest quality and user safety.

Innovative Technical Thinking



DoorPro 45



DoorPro 60



DoorPro 70



DoorPro 70RC

DoorPro 45

- Single or double leaf version available
- Door chassis and door frame are 45mm aluminium profiles with a 1 chamber system
- Non-thermal break
- 40mm Insulated door panel with CFC-free polyurethane foam
- Door leaf panel is the same structure of UniPro sectional door panel.
- The inside of the door panel structure is finished in RAL9002
- Opening direction inwards or outwards, left or right
- Rebated seal along the entire perimeter of the door leaf and frame

DoorPro 60, 70 & 70RC

- Single or double leaf version available
- DoorPro 60 door chassis and door frame are 60mm aluminium profiles with 3 chamber system
- With thermal break
- DoorPro 70 & 70RC door chassis and door frame are 70mm aluminium profiles with a 3 chamber system
- 40mm insulated door panel with CFC-free polyurethane foam
- Door leaf panel is the same structure of the UniPro sectional door panel
- The inside of the door panel structure is finished in RAL9002
- Left and right side lights and top lights available
- Vertical panel placement is available

Functionality That Lasts



DoorPro 45



DoorPro 60, 70 & 70RC

- Symmetrical and Asymmetrical distribution available
- Stainless steel handle as standard
- 3 Point locking as standard
- Anti burglary bolt as an optional upgrade
- Glazing option available, please see page 9
- Decorative motifs available please see page 11
- 34 Standard RAL to choose from
- 41 foiled finishes available
- Exclusive - Home Inclusive colour range

- Symmetrical and Asymmetrical distribution available
- Stainless steel handle as standard
- 3 Point locking as standard
- DoorPro 70RC - RC3 Lock cylinder as standard
- DoorPro 70 - RC3 lock cylinder optional upgrade
- DoorPro 60 - RC2 lock cylinder optional upgrade
- Glazing options available, please see page 9
- Decorative motifs available please see page 11
- 34 Standard RAL available
- 41 foiled finishes available
- Exclusive - Home Inclusive colour range

Standard Hardware - Optional Upgrades



DoorPro 45 - Hinges



DoorPro 60 - Hinges



DoorPro 70 - Hinges



DoorPro 70RC - Hinges




Jupiter Handle Supplied As Standard With All Doors




Aluminium Sill As Standard With DoorPro 60, 70 & 70RC



Sill Supplied As Standard With DoorPro 45



DoorPro 60 - RC2 Lock Optional Upgrade



Safety Pin Optional Upgrade



3 Point Locking Standard With All Doors



Door Closer Optional Upgrade



Door Stopper Optional Upgrade

Panel Designs



L Ribbed Double or Single Leaf



M Ribbed Double or Single Leaf



S Ribbed Double or Single Leaf



Georgian Double or Single Leaf



Microwave Double or Single Leaf



L Ribbed With Glazing Option O



Vertical Glazing



Horizontal Glazing



Right Side Light



Left Side Light



Top & Side Light

Window Options



Type A-1



Type C-1



Type E-1



Type R-2



Type R-2



Type O



Type O-1




Type O-2

Panel Designs



L Ribbed Double or Single Leaf



M Ribbed Double or Single Leaf



M Ribbed Double or Single Leaf



Georgian Double or Single Leaf



Georgian Double or Single Leaf



L Ribbed With Glazing Option O



Vertical Glazing



Horizontal Glazing



Right Side Light



Left Side Light



Top & Side Light

Window Options



Type A-1



Type C-1



Type E-1



Type R-2



Type R-2



Type O



Type O-1



Type O-2


Decorative Motifs



L Ribbed With Decor Type AP-1



L Ribbed With Decor Type AP-2




L Ribbed With Decor Type AP-3



L Ribbed With Decor Type AP-4



L Ribbed With Decor Type AP-5



L Ribbed With Decor Type AP-6



Type AP-1 330x60mm



Type AP-2 260mm



Type AP-3 220x220mm



Type AP-4 330x220mm



Type AP-5 220x220mm




Type AP-6 220x220mm


Panel Textures




Woodgrain



Smoothgrain



Silkline



Microwave - Silkline



Sandgrain



	Microwave	S ribbed	M ribbed	L ribbed	Georgian
Woodgrain	—	RAL9016, Standard RAL, Special RAL, Golden Oak & Walnut	RAL9016, Standard RAL, Special RAL, Golden Oak & Walnut	RAL9016, Standard RAL, Special RAL, Golden Oak & Walnut	RAL9016, Standard RAL, Special RAL & Golden Oak
Smoothgrain	—	—	41 film coatings	41 film coatings	—
Sandgrain	—	—	Anthracite	Anthracite	—
Silkline	RAL9016, Standard RAL & Special RAL	RAL9016, Standard RAL & Special RAL	RAL9016, Standard RAL & Special RAL	RAL9016, Standard RAL & Special RAL	—
Home Inclusive 2.0	—	16 colors	16 colors	16 colors	—

An Abundance of Colours

Colour is the first feature our senses react to. We made sure that each of our customers can find the colour they are looking for. Our garage doors can be manufactured in RAL palette colours and in wood effect finishes. Together with our range of structures and extra decorative elements, this gives you hundreds of options for a totally bespoke design.



Standard RAL and special RAL colours available
 Wide selection of wood effect and coloured foils available pages 16-19
 Exclusive - Home Inclusive 2.0 available pages 20-21

Colour Options

One of the largest pallettes of standard RAL colours available. Special RAL are also available.

TRAFFIC WHITE RAL 9016	PURE WHITE RAL 9010	CREAM RAL 9001	LIGHT IVORY RAL 1015	WHITE ALUMINIUM RAL 9006	GREY ALUMINIUM RAL 9007
FIR GREEN RAL 6009	MOSS GREEN RAL 6005	PALE GREEN RAL 6021	STEEL BLUE RAL 5011	GENTIAN BLUE RAL 5010	PIGEON BLUE RAL 5014
BURGUNDY RAL 3004	RUBY RED RAL 3003	FLAME RED RAL 3000	SEPIA BROWN RAL 8014	TERRA BROWN RAL 8028	NUT BROWN RAL 8011
LIGHT GREY RAL 7035	PEBBLE GREY RAL 7032	AGATE GREY RAL 7038	SILVER GREY RAL 7001	WINDOW GREY RAL 7040	STONE GREY RAL 7030
QUARTZ GREY RAL 7039	MOUSE GREY RAL 7005	BASALT GREY RAL 7012	SLATE GREY RAL 7015	GRAPHITE GREY RAL 7024	GRANITE GREY RAL 7026
ANTHRACITE GREY RAL 7016	SIGNAL BLACK RAL 9004	JET BLACK RAL 9005	GRAPHITE BLACK RAL 9011		


COLOURS ARE FOR REFERENCE PURPOSES ONLY
 PLEASE REQUEST A SAMPLE



L RIBBED	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
M RIBBED	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
S RIBBED																									
MICROWAVE																									
GEORGIAN																									

	Sheffield Oak Light F 456-3081 Smoothgrain	Sheffield oak grey F 436-3086 Smoothgrain	Brusch schwarzbraun F436-1023 smoothgrain	Earl platin 119500 smoothgrain	Black uli-mat PX47097 smoothgrain	Woodec Turner Oak Malt F4703001 smoothgrain	Woodec Sheffield Oak Alpine F4703002 smoothgrain	Woodec Sheffield Oak Concrete F4703003 smoothgrain	Umbragrau F436-60657 smoothgrain	Fenstergrau F436-6066 smoothgrain	Cremeweiss F456-6001 smoothgrain	Anthrazitgrau F436-6003 smoothgrain	Dark grey silk 4367003 smoothgrain	Golden Oak 2178001-167 smoothgrain	Walnut 2178007-167 smoothgrain	Anthracite Quartz Mat F4701014 smoothgrain	Woodec Turner Oak Toffe F4703004 smoothgrain	Modern White (Painted finish based on RAL 9010) silklime	Modern White (Painted finish based on RAL 9010) woodgrain	Modern Black (Painted finish based on RAL9005) silklime	Modern Black (Painted finish based on RAL 9005) woodgrain
L RIBBED	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
M RIBBED	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
S RIBBED																		✓	✓	✓	✓
MICROWAVE																		✓	✓	✓	✓
GEORGIAN																					





HI EARTH

HI STONE

HI STEEL

L RIBBED	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
M RIBBED	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
S RIBBED	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
MICROWAVE											
GEORGIAN											



HI RUBY

	✓	✓	✓	✓
	✓	✓	✓	✓
	✓	✓	✓	✓




NEW COLOURS HOME INCLUSIVE^{2.0}

THE HOME INCLUSIVE 2.0 COLOUR COLLECTION
Add exceptional character to your property thanks to the unique depth effect of HI 2.0 colours. Perfect for when you require a perfect colour match for your sectional door, insulated side hinged door and front entrance door.


Technical Information

Vertical door position, cross section image of the DoorPro 45 door without a thermal break (door infill 40mm steel panel)

DoorPro 45, Profile Dimensions




Horizontal door position, cross section image of the DoorPro 45 door without a thermal break




Vertical door position, cross section image of the DoorPro60 door with a thermal break (door infill 40mm steel panel)

DoorPro 60, Profile Dimensions




Horizontal door position, cross section image of the DoorPro 60 door with a thermal break




Technical Information

Vertical door position, cross section image of the DoorPro 70 with a thermal break (door infill 40mm steel panel)

DoorPro 70, Profile Dimensions




Horizontal door position, cross section image of the DoorPro 70 door with a thermal break




Vertical door position, cross section image of the DoorPro 70RC door with a thermal break (door infill 40mm steel panel)

DoorPro 70RC, Profile Dimensions



Horizontal door position, cross section image of the DoorPro 70RC door with a thermal break



Coming soon...



JD (UK) Limited
Ravensthorpe Industrial Estate, Low Mill Lane.
Havelock Street, Ravensthorpe, Dewsbury. WF13 3LN
T 01924 472924 E sales@jdukLtd.co.uk www.jdukLtd.co.uk

